

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI015149-R1
DATE: 01/26/2021
CERTIFICATION PROGRAM: Structural
COMPANY: Sun-Tek
CODE: 225-1
REVISION DATE: 05/08/2024

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Sun-Tek Manufacturing, Inc. 10303 General Drive Orlando, FL 32824	Series "ICMG III" Insulated Glass Skylight w/Laminated Glass (Impact) Configuration: O Glazing: IG-1/8" Tempered Glass/1/8" Annealed Glass/0.090" Kuraray Butacite PVB Interlayer/1/8" Annealed Glass Frame: W-1295mm(51") H-1295mm(51") DLO: W-1162mm(45.75") H-1162mm(45.75")

SPECIFICATION	PRODUCT RATING
TAS 201/202/203-94	Design Pressure: ±2873 Pa (60 psf) Water Penetration Resistance Test Pressure: 720 Pa (15.00 psf) Large Missile Impact Rated

Product Tested By: National Certified Testing Laboratories
Report No: NCTL-210-4188-01
Expiration Date: August 31, 2025

Administrator's Signature: _____

A handwritten signature in black ink, appearing to be "S. D.", written over a horizontal line.

**NATIONAL ACCREDITATION AND
MANAGEMENT INSTITUTE, INC.**
4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
nami@namiinc.com