

# NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI015149-R2  
DATE: 01/26/2021  
CERTIFICATION PROGRAM: Structural  
COMPANY: Sun-Tek  
CODE: 225-1  
REVISION DATE: 05/07/2025

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit [www.namicertification.com](http://www.namicertification.com). NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>Sun-Tek Manufacturing, Inc.</b> <b>10303 General Drive</b> <b>Orlando, FL 32824</b>	<b>Series "ICMG III"</b> <b>Insulated Glass Skylight</b> <b>w/Laminated Glass (Impact)</b>  Configuration: O  Glazing: IG-1/8" Tempered Glass/1/8" Annealed Glass/0.090" Kuraray Butacite PVB Interlayer/1/8" Annealed Glass  Frame: W-1295mm(51") H-1295mm(51")  DLO: W-1162mm(45.75") H-1162mm(45.75")

SPECIFICATION	PRODUCT RATING
<b>TAS 201/202/203-94</b>	<b>Design Pressure: ±2873 Pa (60 psf)</b> <b>Water Penetration Resistance Test Pressure: 720 Pa (15.00 psf)</b> <b>Large Missile Impact Rated</b>

Product Tested By: National Certified Testing Laboratories  
Report No: NCTL-210-4188-01  
Expiration Date: August 31, 2027

Administrator's Signature: \_\_\_\_\_  


**NATIONAL ACCREDITATION AND  
MANAGEMENT INSTITUTE, INC.**

4794 George Washington Memorial Highway  
Hayes, VA 23072  
Tel: (804) 684-5124

Email: [nami@namiinc.com](mailto:nami@namiinc.com)