

# NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI015150  
DATE: 01/26/2021  
CERTIFICATION PROGRAM: Structural  
COMPANY: Sun-Tek  
CODE: 225-1

To verify that the "Notice of Product Certification" is valid, please visit [www.NAMICertification.com](http://www.NAMICertification.com) to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. Please review and advise NAMI if any corrections are required to this document.

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>Sun-Tek Manufacturing, Inc.</b> <b>10303 General Drive</b> <b>Orlando, FL 32824</b>	<b>Series "CMG III"</b> <b>Insulated Glass Skylight</b>  Configuration: O Glazing: Insulating Glass (Tempered)  Frame: W-1295mm(51") H-1295mm(51") DLO: W-1162mm(45.75") H-1162mm(45.75")

SPECIFICATION	PRODUCT RATING
<b>AAMA/WDMA/CSA 101/I.S.2/A440-17</b> <b>AAMA/WDMA/CSA 101/I.S.2/A440-11</b> <b>AAMA/WDMA/CSA 101/I.S.2/A440-08</b>	<b>Class SKG-PG90 1295 x 1295 (51 x 51)</b> <b>Design Pressure: ±4320 Pa (90 psf)</b> Water Penetration Resistance Test Pressure: 720 Pa (15.00 psf)

Product Tested By: National Certified Testing Laboratories  
Report No: NCTL-210-4188-2  
Expiration Date: August 31, 2024

A handwritten signature in black ink, appearing to be 'S. D.', written over a horizontal line.

Administrator's Signature: \_\_\_\_\_

**NATIONAL ACCREDITATION AND  
MANAGEMENT INSTITUTE, INC.**  
4794 George Washington Memorial Highway  
Hayes, VA 23072  
Tel: (804) 684-5124  
Fax: (804) 684-5122