

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI015159.01-R2
DATE: 02/11/2021
CERTIFICATION PROGRAM: Structural
COMPANY: Loewen
CODE: 1862-1
REVISION DATE: 03/27/2024

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Loewen 77 Highway 52 West Steinbach, Manitoba R5G 1B2	Series "25 Stormforce" Aluminum-Clad Wood Double Hung Window (w/Mulled Transom & Single Hung Window) Configuration: O/X/XO/X Glazing: IG- Ext. 3/16" Annealed Glass/Int. 1/4" Annealed Glass/0.090 SGP Dupont Interlayer/1/4" Annealed Glass Frame: W-2353mm(92.63") H-3766mm(148.25") DLO DH: W-992mm(39.06") H-1141mm(44.94")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-08 AAMA/WDMA/CSA 101/I.S.2/A440-05 ASTM E1886-05 ASTM E1996-05 TAS 201/202/203-94	Class LC-PG55 2353 x 3766 (92 x 148)-H H-LC55 2353 x 3766 (92 x 148) Design Pressure: ±2640 Pa ±(55 psf) Water Penetration Resistance Test Pressure: 395 Pa (8.25 psf) Canadian Air Infiltration/Exfiltration Level: A3 Wind Zone 4 - Missile Level D Large Missile Impact Rated

Product Tested By: Architectural Testing Incorporated
Report No: A6344.05-201-18/A6347.01-201-18/A6347.02-201-18/A6347.13-201-18/W-2116
Expiration Date: **February 28, 2027**

Administrator's Signature:  _____

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124

Email: nami@namiinc.com

NOPC-03/30/2023