## **NOTICE OF PRODUCT CERTIFICATION**



To verify that the "Notice of Product Certification" is valid, please visit www.NAMICertification.com to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim Please review and advise NAMI if any corrections are required to this document. certification status.

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Dealers Supply & Lumber Company	MMPA 20 Minute Category C
105 Airport Road	<b>Proprietary Wood Door Frames</b>
Greenville, SC 29606	
	Manufacture Specific Fire Door Frames for Single and Double Swing Installation in 20 Minute Locations
	Single Door Maximum Size: 4'0" x 9'0" Double Door Maximum Size: 8'0" x 9'0"
	Minimum Thickness: 3-3/4"

SPECIFICATION	PRODUCT RATING
UL 10C (1998) UBC Standard 7-2 (1997)	20 Minute-With & Without Hose Stream Positive Pressure
UBC Standard 7-2 (1997) UBC Standard 7-2 (1994)	Category C- Proprietary Frame
TEST REPORT	

## TEST REPORT

Warnock Hersey Test Report No: WHI-495-0509 Intertek Test Report No(s): 3746699, 8772599, 3028781, 3035264, 3048460 Priest & Assoc. Engineering Evaluation No: 10260 NAMI Waiver of Retest: W-1747

Sh

Administrator's Signature:

NATIONAL ACCREDITATION AND **MANAGEMENT INSTITUTE, INC.** 4794 George Washington Memorial Highway Hayes, VA 23072 Tel: (804) 684-5124/ Fax: (804) 684-5122