

# NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI015224-R1  
DATE: 04/19/2021  
CERTIFICATION PROGRAM: Structural  
COMPANY: Shwinco  
CODE: 1972-1  
REVISION DATE: 12/03/2024

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit [www.namicertification.com](http://www.namicertification.com). NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>Shwinco Architectural Products, LLC</b> <b>171 Jet Services Way</b> <b>Dothan, AL 36303</b>	<b>Series "9800"</b> <b>Vinyl Fixed Sidelite</b>  Configuration: O Glazing: IG-3/16" Tempered Glass/1/8" Annealed Glass/0.090" Eastman Chemical PVB Interlayer/1/8" Annealed Glass  Frame: W-962mm(37.88") H-2083mm(82") Vent: W-908mm(35.75") H-2021mm(79.56") DLO: W-670mm(26.38") H-1780mm(70.06")

SPECIFICATION	PRODUCT RATING
<b>AAMA/WDMA/CSA 101/I.S.2/A440-17</b> <b>AAMA/WDMA/CSA 101/I.S.2/A440-11</b> <b>ASTM E1886-05</b> <b>ASTM E1996-05/09</b> <b>TAS 201/202/203-94</b>	<b>Class LC-PG50 962 x 2083 (38 x 82)-SLT</b> <b>Design Pressure: ±2400 Pa (50 psf)</b> <b>Water Penetration Resistance Test Pressure: 960 Pa (20.0 psf)</b> <b>Wind Zone 4-Missile Level D</b> <b>Large Missile Impact Rated</b>

Product Tested By: National Certified Testing Laboratories  
Report No: NCTL 210-4206-1/NCTL 210-4206-1A  
Expiration Date: **February 28, 2027**

Administrator's Signature: \_\_\_\_\_

## NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway

Hayes, VA 23072

Tel: (804) 684-5124

Email: [nami@namiinc.com](mailto:nami@namiinc.com)