

# NOTICE OF PRODUCT CERTIFICATION



**CERTIFICATION NO:** NI015243-R1  
**DATE:** 04/28/2021  
**CERTIFICATION PROGRAM:** Fire  
**COMPANY:** SGM Door  
**CODE:** 2743-1  
**REVISION DATE:** 05/07/2025  
**EXPIRATION DATE:** 04/30/2028

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit [www.namicertification.com](http://www.namicertification.com). NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>SGM Doors and Trim, LLC</b> <b>11500 Main Street, Suite 118</b> <b>Houston, TX 77025</b>	<b>Endura 20 Minute Category C</b> <b>Proprietary Wood Door Frames</b>  Manufacture Specific Fire Door Frames for Double Swing Installation in 20 Minute Locations  <b>Single Door Maximum Size: 8'0" x 9'0"</b>  <b>Minimum Jamb Depth: 3.5"</b>

SPECIFICATION	PRODUCT RATING
<b>NFPA 252 (2012)</b> <b>UL 10b (1997)</b> <b>UL 10c (2009)</b> <b>CAN/ULC S104 (2010)</b> <b>UBC Standard 7-2 (1994)</b>	<b>20 Minute-With Hose Stream</b> <b>Positive Pressure</b> <b>Category C- Proprietary Frame</b>

TEST REPORT
<b>Intertek Test Report No(s): 101305789COQ-002, 101664134COQ-002</b> <b>Intertek Engineering Evaluation No(s): 102343380MID-001</b>

A handwritten signature in black ink, appearing to be "S.M.", written over a horizontal line.

Administrator's Signature: \_\_\_\_\_

**NATIONAL ACCREDITATION AND  
MANAGEMENT INSTITUTE, INC.**

4794 George Washington Memorial Highway

Hayes, VA 23072

Tel: (804) 684-5124

[nami@namiinc.com](mailto:nami@namiinc.com)

NOPC-03/30/2023