

# NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI015243  
DATE: 04/28/2021  
CERTIFICATION PROGRAM: Fire  
COMPANY: SGM Door  
CODE: 2743-1  
EXPIRATION DATE: 04/30/2025

To verify that the "Notice of Product Certification" is valid, please visit [www.NAMICertification.com](http://www.NAMICertification.com) to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. Please review and advise NAMI if any corrections are required to this document.

| COMPANY NAME AND ADDRESS  | PRODUCT DESCRIPTION  |
|---|--|
| <b>SGM Doors and Trim, LLC</b><br><b>14625 Minetta Street, Bldg B</b><br><b>Houston, TX 77035</b> | <b>Endura 20 Minute Category C</b><br><b>Proprietary Wood Door Frames</b><br><br>Manufacture Specific Fire Door Frames for Double Swing Installation in 20 Minute Locations<br><br><b>Single Door Maximum Size: 8'0" x 9'0"</b><br><br><b>Minimum Jamb Depth: 3.5"</b> |

| SPECIFICATION  | PRODUCT RATING  |
|--|---|
| <b>NFPA 252 (2012)</b><br><b>UL 10b (1997)</b><br><b>UL 10c (2009)</b><br><b>CAN/ULC S104 (2010)</b><br><b>UBC Standard 7-2 (1994)</b> | <b>20 Minute-With Hose Stream</b><br><b>Positive Pressure</b><br><b>Category C- Proprietary Frame</b> |

| TEST REPORT   |
|---|
| <b>Intertek Test Report No(s): 101305789COQ-002, 101664134COQ-002</b><br><b>Intertek Engineering Evaluation No(s): 102343380MID-001</b> |

A handwritten signature in black ink, appearing to be "S.M.", written over a horizontal line.

Administrator's Signature: \_\_\_\_\_

**NATIONAL ACCREDITATION AND  
MANAGEMENT INSTITUTE, INC.**

4794 George Washington Memorial Highway  
Hayes, VA 23072  
Tel: (804) 684-5124  
Fax: (804) 684-5122