

# NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI015245-R1  
DATE: 04/28/2021  
CERTIFICATION PROGRAM: Fire  
COMPANY: SGM Door  
CODE: 2743-1  
REVISION DATE: 05/07/2025  
EXPIRATION DATE: 04/30/2028

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit [www.namicertification.com](http://www.namicertification.com). NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>SGM Doors and Trim, LLC</b> <b>11500 Main Street, Suite 118</b> <b>Houston, TX 77025</b>	<b>Crest Doors Particleboard Core</b> <b>w/Fiberglass Cladding Fire Door</b>  Manufacturer Specific Fire Doors for Single Swing Installation in 20 Minute Locations  1/2" Minimum Latch Throw Single Swing Only  <b>Single Maximum Size: 3'0" x 8'0"</b> <b>Minimum Thickness: 1-3/4"</b>

SPECIFICATION	PRODUCT RATING
<b>CAN4 S104 (1985)(2010)</b> <b>UL 10C (2001)(2009)</b> <b>NFPA 252 (2008)</b>	<b>20 Minute-Positive Pressure</b> <b>With Hose Stream</b> <b>Category B - Additional Edge Sealing</b> <b>System Required</b>

TEST REPORT
Intertek Test Report No: 3160246MID-005

Administrator's Signature: \_\_\_\_\_

A handwritten signature in black ink, appearing to be "S.M.", written over a horizontal line.

**NATIONAL ACCREDITATION AND  
MANAGEMENT INSTITUTE, INC.**

4794 George Washington Memorial Highway

Hayes, VA 23072

Tel: (804) 684-5124

[nami@namiinc.com](mailto:nami@namiinc.com)

NOPC-03/30/2023