

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI015108.01-R1
DATE: 01/19/2021
CERTIFICATION PROGRAM: Structural
COMPANY: Domadeco
CODE: 2704-1
REVISION DATE: 06/03/2024

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Domadeco, Inc. 7455 Arroyo Crossing, Suite 220 Las Vegas, NV 89113	Series "Outswing Entrance Door" Steel Opaque Single Outswing Side Hinged Door Configuration: X Frame: W-1003mm(39.50") H-2089mm(82.25") Panel: W-949mm(37.38") H-2048mm(80.63")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-17 AAMA/WDMA/CSA 101/I.S.2/A440-11 ASTM E1886-13a/E1996-14a TAS 202-94 (Structural Only) TAS 201-94/TAS 203-94	Class R-PG50 1003 x 2089 (39 x 82)-SHD Design Pressure: ±2400 Pa (±50 psf) Water Penetration Resistance Test Pressure: 0 Pa (0.00 psf) Wind Zone 4-Missile Level D Large Missile Impact Rated

Product Tested By: Intertek, PLC
Report No: L2764.01-201-44/L2764.02-201-44/L2757.01-201-18
Expiration Date: **August 31, 2034**

Administrator's Signature: 

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway

Hayes, VA 23072

Tel: (804) 684-5124

nami@namiinc.com

NOPC-03/30/2023