

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI015431.01
DATE: 09/21/2021
CERTIFICATION PROGRAM: Structural
COMPANY: Linea Rossa
CODE: 2749-1

To verify that the "Notice of Product Certification" is valid, please visit www.NAMICertification.com to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. Please review and advise NAMI if any corrections are required to this document.

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Linea Rossa, LLC 1850 Northwest 84th Avenue, Suite 114 Doral, FL 33126	Series "LR-480" Aluminum Outfolding Bi-Fold Door Configuration: XO/XXXXX Glazing: Monolithic - 3/16" Heat Strengthened Glass/0.090" Sentryglas Interlayer/3/16" Heat Strengthened Glass or 3/16" Tempered Glass/3/16" Heat Strengthened Glass/0.090" Sentryglas Interlayer/3/16" Heat Strengthened Glass Frame: W-5599mm(220.44") H-2545mm(100.19") DLO: W-770mm(30.31") H-2200mm(86.63")

SPECIFICATION	PRODUCT RATING
TAS 201/202/203-94	Design Pressure: ±4788 Pa (±100 psf) Large Missile Impact Rated

Product Tested By: Blackwater Technical Services, Inc.
Report No: BT-BEY-20-009
Expiration Date: **June 30, 2025**

Administrator's Signature: _____

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway

Hayes, VA 23072

Tel: (804) 684-5124

Fax: (804) 684-5122