

# NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI015439-R1  
DATE: 09/30/2021  
CERTIFICATION PROGRAM: Structural  
COMPANY: Shanghai  
CODE: 2590-1  
REVISION DATE: 11/18/2021

To verify that the "Notice of Product Certification" is valid, please visit [www.NAMICertification.com](http://www.NAMICertification.com) to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. Please review and advise NAMI if any corrections are required to this document.

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>Shanghai Superhouse</b> <b>Building Material Co., LTD</b> <b>Number 10, Hangfan Road</b> <b>Pudong New Area, Shanghai</b> <b>China 201314</b>	<b>Series "SPS80T"</b> <b>Aluminum Casement Window</b>  Configuration: X  Glazing: Insulating Glass (Tempered)  Frame: W-800mm(31.50") H-1500mm(59.06") Sash: W-748mm(29.45") H-1448mm(57.01") DLO: W-603mm(23.74") H-1303mm(51.30")

SPECIFICATION	PRODUCT RATING
<b>AAMA/WDMA/CSA 101/I.S.2/A440-17</b>	<b>Class CW-PG40 800 x 1500 (32 x 59)-C</b> <b>Design Pressure: ±1920 Pa (±40 psf)</b> <b>Water Penetration Resistance Pressure: 580 Pa (12.11 psf)</b>

Product Tested By: Intertek - Shanghai  
Report No: 210713011SHF-002  
Expiration Date: **July 31, 2031**

Administrator's Signature: \_\_\_\_\_  


## NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway  
Hayes, VA 23072  
Tel: (804) 684-5124  
[nami@namiinc.com](mailto:nami@namiinc.com)