## NOTICE OF PRODUCT CERTIFICATION



**CERTIFICATION NO:** NI015444.02-R4

> **DATE:** 09/30/2021

**CERTIFICATION PROGRAM:** Structural

> **ProVia Door COMPANY:**

1212-1 CODE:

**REVISION DATE:** 12/05/2023

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
ProVia, LLC	20 Gauge Steel Full-Lite
2150 State Route 39	Inswing Patio Door System
Sugarcreek, OH 44681	(w/Single Point Lock)
	Configuration: OXO Glazing: IG-1/8" Tempered Glass/1/8" Annealed Glass/0.090' Saflex PVB Interlayer/1/8" Annealed Glass
	Frame: W-2788mm(109.75") H-2481mm(97.69")
	Panel: W-908mm(35.75") H-2411mm(94.94")
	DLO: W-533mm(21") H-2007mm(79")

SPECIFICATION	PRODUCT RATING
ASTM E1886-13a	Design Pressure: ±2400 Pa (±50 psf)
ASTM E1996-14a	Wind Zone 3 - Missile Level D

Product Tested By: Intertek, PLC

Report No: M4361.01-501-47/W-2024/W-2084/W-2104/W-2105

Expiration Date: June 30, 2025

Administrator's Signature: \_

## NATIONAL ACCREDITATION & MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway **Hayes, VA 23072** Tel: (804) 684-5124

nami@namiinc.com