

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI014244-R2
DATE: 10/25/2018
CERTIFICATION PROGRAM: Structural
COMPANY: BlueLinx
CODE: 1366-1
REVISION DATE: 07/27/2023

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
BlueLinx Corporation 225 Collins Road Elkhart, IN 46516	“Glazed Fiberglass Door” Glazed Inswing Fiberglass Side-Hinged Door Configuration: X Glazing: Insulating Glass (Tempered) Frame: W-851mm(33.5") H-2076mm(81.75") Panel: W-806mm(31.75") H-2007mm(79") DLO: W-533mm(21") H-889mm(35")

SPECIFICATION	PRODUCT RATING
AAMA 1702.2-95 Federal Manufactured Home Construction & Safety Standard 3280.305 (applicable sections)	Manufactured Housing-Passed Wind Zone III Design Wind Pressure Rating: +58/-58 psf

Product Tested By: Testing Evaluation Laboratories, Inc.
Report No: TEL 01372194
Expiration Date: September 30, 2026

A handwritten signature in black ink, appearing to be "S. D.", written over a horizontal line.

Administrator's Signature: _____

**NATIONAL ACCREDITATION AND
MANAGEMENT INSTITUTE, INC.**
4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
nami@namiinc.com