

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI015455-R1
DATE: 10/26/2021
CERTIFICATION PROGRAM: Structural
COMPANY: Sun-Tek
CODE: 225-1
REVISION DATE: 03/07/2025

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Sun-Tek Manufacturing, Inc. 10303 General Drive Orlando, FL 32824	Series "HSF 4646" Impact Rated Polycarbonate Dome Skylight (Self-Flashing) Configuration: O Glazing: Polycarbonate Frame: W-1384mm(54.50") H-1384mm(54.50") DLO: W-1219mm(48") H-1219mm(48")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-17 AAMA/WDMA/CSA 101/I.S.2/A440-11 ASTM E1886-12/13a ASTM E1996-12a/14a TAS 201/202/203-94	Class SKP-PG60 1384 x 1384 (55 x 55) Design Pressure: ±2880 Pa (±60 psf) Water Penetration Resistance Test Pressure: 720 Pa (15.00 psf) Wind Zone 4 - Missile Level D Large Missile Impact Rated

Product Tested By: National Certified Testing Laboratories
Report No: NCTL-210-4221-1/NCTL-210-4221-01A
Expiration Date: May 31, 2027

Administrator's Signature: _____ 

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124

Email: nami@namiinc.com

NOPC-03/30/2023