

# NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI015455  
DATE: 10/26/2021  
CERTIFICATION PROGRAM: Structural  
COMPANY: Sun-Tek  
CODE: 225-1

To verify that the "Notice of Product Certification" is valid, please visit [www.NAMICertification.com](http://www.NAMICertification.com) to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. Please review and advise NAMI if any corrections are required to this document.

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>Sun-Tek Manufacturing, Inc.</b> <b>10303 General Drive</b> <b>Orlando, FL 32824</b>	<b>Series "HSF 4646" Impact Rated</b> <b>Polycarbonate Dome Skylight</b> <b>(Self-Flashing)</b> Configuration: O Glazing: Polycarbonate  Frame: W-1384mm(54.50") H-1384mm(54.50") DLO: W-1219mm(48") H-1219mm(48")

SPECIFICATION	PRODUCT RATING
<b>AAMA/WDMA/CSA 101/I.S.2/A440-17</b> <b>AAMA/WDMA/CSA 101/I.S.2/A440-11</b> <b>ASTM E1886-12/13a</b> <b>ASTM E1996-12a/14a</b> <b>TAS 201/202/203-94</b>	<b>Class SKP-PG60 1384 x 1384 (55 x 55)</b> <b>Design Pressure: ±2880 Pa (±60 psf)</b> Water Penetration Resistance Test Pressure: 720 Pa (15.00 psf) <b>Wind Zone 4 - Missile Level D</b> <b>Large Missile Impact Rated</b>

Product Tested By: National Certified Testing Laboratories  
Report No: NCTL-210-4221-1/NCTL-210-4221-01A  
Expiration Date: May 31, 2025

Administrator's Signature: \_\_\_\_\_

**NATIONAL ACCREDITATION AND  
MANAGEMENT INSTITUTE, INC.**  
4794 George Washington Memorial Highway  
Hayes, VA 23072  
Tel: (804) 684-5124  
[nami@namiinc.com](mailto:nami@namiinc.com)