

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI012983-R2
DATE: 01/08/2016
CERTIFICATION PROGRAM: Structural
COMPANY: All Seasons
CODE: 353-2
REVISION DATE: 11/02/2021

To verify that the "Notice of Product Certification" is valid, please visit www.NAMICertification.com to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. Please review and advise NAMI if any corrections are required to this document.

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
All Seasons Window & Door Manufacturing, Inc. 400 Ambassador Row Longview, TX 75604	Series "E3250" Aluminum Project-Out Window Configuration: X Glazing: IG-Int-1/8" Annealed Glass/Ext-1/8" Annealed Glass/0.090"SGP Interlayer/1/8" Annealed Glass Frame: W-1219mm(48") H-914mm(36") Vent: W-1715mm(46.25") H-810mm(31.88")

SPECIFICATION	PRODUCT RATING
AAMA 506-08 ASTM E1886-05/E1996-05b AAMA/WDMA/CSA 101/I.S.2/A440-08	Overall Design Pressure: ±3352 Pa (70 psf) Wind Zone 4-Missile Level D Gateway Results: Class AW-PG90 1219 x 914 (48 x 36)-AP

Product Tested By: Construction Consulting Laboratory, International
Report No: CCLI 14-194/ATI-A5248.01-801-44
Expiration Date: November 30, 2025

Administrator's Signature: _____

**NATIONAL ACCREDITATION AND
MANAGEMENT INSTITUTE, INC.**

4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
Fax: (804) 684-5122