

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI015458-R1

DATE: 11/02/2021

CERTIFICATION PROGRAM: Structural

COMPANY: Sun-Tek

CODE: 225-1

REVISION DATE: 03/07/2025

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Sun-Tek Manufacturing, Inc. 10303 General Drive Orlando, FL 32824	Series "HSF 2246" Impact Rated Polycarbonate Dome Skylight (Self-Flashing) Configuration: O Glazing: Polycarbonate Frame: W-775mm(30.50") H-1384mm(54.50") DLO: W-603mm(23.75") H-1219mm(48")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-17 AAMA/WDMA/CSA 101/I.S.2/A440-11 ASTM E1886-12/13a ASTM E1996-12a/14a TAS 201/202/203-94	Class SKP-PG60 775 x 1384* (31 x 55*) Design Pressure: ±2880 Pa (±60 psf) Water Penetration Resistance Test Pressure: 720 Pa (15.00 psf) Wind Zone 4 - Missile Level D Large Missile Impact Rated

Product Tested By: National Certified Testing Laboratories
Report No: NCTL-210-4221-2/NCTL-210-4221-02A/NCTL-210-4221-1
Expiration Date: May 31, 2027

Administrator's Signature: _____

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway

Hayes, VA 23072

Tel: (804) 684-5124

Email: nami@namiinc.com

03/30/2023