NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI015458

DATE: 11/02/2021

CERTIFICATION PROGRAM: <u>Structural</u>

COMPANY: Sun-Tek

CODE: 225-1

To verify that the "Notice of Product Certification" is valid, please visit www.NAMICertification.com to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. Please review and advise NAMI if any corrections are required to this document.

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Sun-Tek Manufacturing, Inc.	Series "HSF 2246" Impact Rated
10303 General Drive	Polycarbonate Dome Skylight
Orlando, FL 32824	(Self-Flashing)
	Configuration: O Glazing: Polycarbonate
	Frame: W-775mm(30.50") H-1384mm(54.50")
	DLO: W-603mm(23.75") H-1219mm(48")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-17 AAMA/WDMA/CSA 101/I.S.2/A440-11 ASTM E1886-12/13a ASTM E1996-12a/14a TAS 201/202/203-94	Class SKP-PG60 775 x 1384* (31 x 55*) Design Pressure: ±2880 Pa (±60 psf) Water Penetration Resistance Test Pressure: 720 Pa (15.00 psf) Wind Zone 4 - Missile Level D Large Missile Impact Rated

Product Tested By: National Certified Testing Laboratories

Report No: NCTL-210-4221-2/NCTL-210-4221-02A/NCTL-210-4221-1

Expiration Date: May 31, 2025

Administrator's Signature:

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway Hayes, VA 23072 Tel: (804) 684-5124 nami@namiinc.com