

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI015476.01
DATE: 12/14/2021
CERTIFICATION PROGRAM: Structural
COMPANY: CGI Impact
CODE: 2750-1

To verify that the "Notice of Product Certification" is valid, please visit www.NAMICertification.com to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. Please review and advise NAMI if any corrections are required to this document.

| COMPANY NAME AND ADDRESS | PRODUCT DESCRIPTION |
|--|---|
| <p>CGI Impact Resistant Windows & Doors</p> <p>3780 West 104th Street</p> <p>Hialeah, FL 33018</p> | <p>Series "CD4090A"</p> <p>Aluminum Outswing Side-Hinged Door</p> <p>w/ADA Sill</p> <p>(Full Fixed Lite/Full Single Hung)</p> <p>Configuration: XX Glazing: Monolithic Glass (Tempered)</p> <p>Frame: W-1829mm(72") H-2438mm(96") Panel: W-902mm(35.50") H-2413mm(95") DLO: W-622mm(24.50") H-2178mm(85.75")</p> |

| SPECIFICATION | PRODUCT RATING |
|---|---|
| <p>AAMA/WDMA/CSA 101/I.S.2/A440-17</p> <p>AAMA/WDMA/CSA 101/I.S.2/A440-08</p> | <p>Class R-PG35 1829 x 2438 (72 x 96)-LW SHD</p> <p>Design Pressure: ±1680 Pa (±35 psf)</p> <p>Water Penetration Resistance Test Pressure: 0 Pa (0.00 psf)</p> |

Product Tested By: Fenestration Testing Laboratory, Inc.
 Report No: FTL-6645/FTL-6635/FTL-6681/W-2014
 Expiration Date: **December 31, 2025**

Administrator's Signature: _____

**NATIONAL ACCREDITATION AND
 MANAGEMENT INSTITUTE, INC.**
 4794 George Washington Memorial Highway
 Hayes, VA 23072
 Tel: (804) 684-5124
 Email: nami@namiinc.com