NOTICE OF PRODUCT CERTIFICATION



CERTIFIC	ATION NO:
	DATE:
CERTIFICATION	PROGRAM:
	COMPANY:
	CODE:

DTIFIC ATION NO

NI015505.01	
01/24/2022	
Structural	
Lepage	
422-1	

To verify that the "Notice of Product Certification" is valid, please visit <u>www.NAMICertification.com</u> to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. Please review and advise NAMI if any corrections are required to this document.

COMPANY NAME AND ADDRESS		PRODUCT DESC	RIPTION
Lepage Millwork	Series "Clad Direct Set Impact		
141 Chemin des Raymond		Series (TF-1	00)"
Riviere-du-Loup, Quebec G5R 4L9	Alu	minum Clad Wood	Fixed Window
		Configuration : IG-Int4mm Annealed n Annealed Glass/0.090" Interlayer/4mm Anne	Glass/ExtLaminate- Sentry Glass Plus
	Frame:	W-1829mm(72")	H-1829mm(72")
	DLO:	W-1737mm(68.38")	H-1737mm(68.38")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-17 ASTM E1886-02/04/05/13a ASTM E1996-02/04/06/09/12a/14a	Class CW-PG50 1829 x 1829 (72 x 72)-FW Design Pressure: ±2400 Pa (±50 psf) Water Penetration Resistance Test Pressure: 720 Pa (15.04 psf) Wind Zone 3-Missile Level D Large Missile Impact Rated

Product Tested By: Report No: Expiration Date: National Certified Testing Laboratories NCTL-110-24768-1/NCTL-110-24768-2

<u>December 31, 2025</u>

Administrator's Signature:

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway

Hayes, VA 23072 Tel: (804) 684-5124

Email: <u>nami@namiinc.com</u>