

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI015286-R3
DATE: 06/08/2021
CERTIFICATION PROGRAM: Structural
COMPANY: Marco Industries
CODE: 2738-1
REVISION DATE: 03/18/2026

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Marco Industries 4400 S. 72nd E. Avenue Tulsa, OK 74146-3650	Series "Python Steep Slope" Ridge Vent Material: Polyester Fiber 0.75" or 1" x 8" or 10.5" or 11.75" x 20' Roll Ridge Vent: W - 299mm (11.75") H - 25mm (1")

SPECIFICATION	PRODUCT RATING
TAS 100(A)-95	Passed-110 mph Windspeed Passed-Water Resistance

Product Tested By: Intertek, PLC
Report No: L7628.01-801-18/W-2021
Expiration Date: March 31, 2030

Administrator's Signature: _____ 

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124

Email: nami@namiinc.com

NOPC-03/30/2023