

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI015536
DATE: 02/08/2022
CERTIFICATION PROGRAM: Structural
COMPANY: Continental Glass
CODE: 2103-1

To verify that the "Notice of Product Certification" is valid, please visit www.NAMICertification.com to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. Please review and advise NAMI if any corrections are required to this document.

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Continental Glass Systems, LLC 325 West 74 Place Hialeah, FL 33014	Series "3200" Aluminum Window Wall System Configuration: OOO Glazing IG - 1/4" Tempered Glass/1/4" Heat Strengthened Glass/0.090" SG Kuraray Interlayer/1/4" Heat Strengthened Glass or 1/4" Tempered Glass/1/4" Tempered Glass/0.060" Kuraray PVB Interlayer/1/4" Tempered Glass or 1/4" Tempered Glass/1/4" Tempered Glass/0.035" SGP Kuraray Interlayer/1/4" Tempered Glass Frame: W-46355mm(182.5") H-3658mm(144") DLO: W-1461mm(57.5") H-3505mm(138")

SPECIFICATION	PRODUCT RATING
TAS 201/202/203-94	Design Pressure: ±3352 Pa (±70 psf) Small Missile Impact Rated Water Test Pressure: 862 Pa (18 psf)

Product Tested By: Intertek
Report No: M0399.01-450-18 R0/BT-CON-21-011/BT-CON-21-016
Expiration Date: **June 30, 2025**

Administrator's Signature: _____ 

**NATIONAL ACCREDITATION AND
MANAGEMENT INSTITUTE, INC.**
4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
E-Mail: nami@namiinc.com