

# NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI014172-R1  
DATE: 08/09/2018  
CERTIFICATION PROGRAM: Structural  
COMPANY: Eurocraft  
CODE: 2409-1  
REVISION DATE: 04/25/2022

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit [www.namicertification.com](http://www.namicertification.com). NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>Eurocraft Industries, Inc.</b> <b>7905 Northwest 77th Avenue</b> <b>Medley, FL 33166</b>	<b>Series "88mm Lift &amp; Slide"</b> <b>Vinyl Sliding Glass Door</b>  Configuration: OXXO Glazing: IG- 1/4" Tempered Glass/3/16" Heat Strengthened Glass/0.090" Kuraray Sentry Glass Interlayer/3/16" Heat Strengthened Glass  Frame: W-6500mm(255.9") H-2900mm(114.17") Panel: W-1676mm(66") H-2770mm(109.06") DLO: W-1396mm(54.96") H-2570mm(101.18")

SPECIFICATION	PRODUCT RATING
<b>TAS 201/202/203-94</b>	<b>Design Pressure: ±2633 Pa (55 psf)</b> Water Penetration Resistance Test Pressure: 395 Pa (8.25 psf) <b>Large Missile Impact Rated</b>

Product Tested By: National Certified Testing Laboratories  
Report No: NCTL-210-4116-04  
Expiration Date: **December 31, 2024**

Administrator's Signature: \_\_\_\_\_  


**NATIONAL ACCREDITATION AND  
MANAGEMENT INSTITUTE, INC.**  
4794 George Washington Memorial Highway  
Hayes, VA 23072  
Tel: (804) 684-5124  
Email: [nami@namiinc.com](mailto:nami@namiinc.com)