

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI015560.01
DATE: 04/06/2022
CERTIFICATION PROGRAM: Structural
COMPANY: ProVia Door
CODE: 1212-1

To verify that the "Notice of Product Certification" is valid, please visit www.NAMICertification.com to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. Please review and advise NAMI if any corrections are required to this document.

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
ProVia, LLC 2150 State Route 39 Sugarcreek, OH 44681	Legacy 20 Gauge Steel Full Lite Inswing Single Entry Door (w/Elton Trim & Modified Lock Block) Configuration: X Glazing: Insulated Glass (Tempered) Frame: W-954mm(37.56") H-2176mm(85.69") Panel: W-908mm(35.75") H-2108mm(83") DLO: W-527mm(20.75") H-1597mm(62.88")

SPECIFICATION	PRODUCT RATING
ASTM E283-04(2012) ASTM E330/E330M-14	Design Pressure: ±1640 Pa (±55 psf)

Product Tested By: Intertek, PLC
Report No: N1840.01-501-47
Expiration Date: **January 31, 2026**

Administrator's Signature: _____

A handwritten signature in black ink, appearing to be "M.D.", is written over the signature line.

**NATIONAL ACCREDITATION &
MANAGEMENT INSTITUTE, INC.**

4794 George Washington Memorial Highway
Hayes, VA 23072

Tel: (804) 684-5124

Email: nami@namiinc.com