

# NOTICE OF PRODUCT CERTIFICATION



**CERTIFICATION NO:** NI015563  
**DATE:** 04/12/2022  
**CERTIFICATION PROGRAM:** Fire  
**COMPANY:** Waldeck, Wright  
**CODE:** 2839-1  
**EXPIRATION DATE:** 04/30/2026

To verify that the "Notice of Product Certification" is valid, please visit [www.NAMICertification.com](http://www.NAMICertification.com) to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. Please review and advise NAMI if any corrections are required to this document.

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>Waldeck, Wright &amp; Assoc. Corporation</b> <b>87 Bee Jay Way</b> <b>Woodland, CA 95776</b>	<b>20 Minute Category C</b> <b>Proprietary Wood Door Frames</b>  Manufacture Specific Fire Door Frames for Single and Double Swing Installation in 20 Minute Locations  <b>Single Door Maximum Size: 4'0" x 9'0"</b> <b>Double Door Maximum Size: 8'0" x 9'0"</b>  <b>Minimum Thickness: 3-3/4"</b>

SPECIFICATION	PRODUCT RATING
<b>UL 10C (1998)</b> <b>UBC Standard 7-2 (1997)</b> <b>UBC Standard 7-2 (1994)</b>	<b>20 Minute-With &amp; Without Hose Stream</b> <b>Positive Pressure</b> <b>Category C- Proprietary Frame</b>

TEST REPORT
<b>Warnock Hersey Test Report No: WHI-495-0509</b> <b>Intertek Test Report No(s): 3746699, 8772599, 3028781, 3035264, 3048460</b> <b>Priest &amp; Assoc. Engineering Evaluation No: 10260</b> <b>NAMI Waiver of Retest: W-1747</b>

A handwritten signature in black ink, appearing to be 'Shelley' or similar, written over a horizontal line.

Administrator's Signature: \_\_\_\_\_

**NATIONAL ACCREDITATION AND  
MANAGEMENT INSTITUTE, INC.**

4794 George Washington Memorial Highway

Hayes, VA 23072

Tel: (804) 684-5124

[nami@namiinc.com](mailto:nami@namiinc.com)