

Notice of Product Certification

CERTIFICATION NO.: 1538-007

INITIAL CERTIFICATION DATE: May 3, 2022

REVISION DATE: N/A

REPORT NUMBER: SPL21005-6-C_SFIXD-P_DVA

SPECIFICATION: CSA A440.2-19

COMPANY: DV Aluminium

CODE: 1538-1

EXPIRATION DATE: December 10, 2025

PRODUCT SIMULATED BY: Veridis Solutions

AIR LEAKAGE REPORT NO.: AI-03741-C1 Rev.4

PRODUCT/SERIES NAME: Petit Fixe PVC

OPERATOR TYPE: FIXD

Product Number	Manufacturer Product Code	U-Factor (Metric)	SHGC	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
1538-007-0001-01	3mm_7/8_SDCI-arg95-PTLX(0.082/#3) im	1.63	0.64	0.67	0.0	41
1538-007-0002-01	4mm_7/8_SDCI-arg95-PTLX(0.081/#3) im	1.61	0.63	0.67	0.0	41
1538-007-0003-01	5mm_7/8_SDCI-arg95-PTLX(0.082/#3) im	1.60	0.63	0.66	0.0	41

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).



Administrator's Signature:

A handwritten signature in black ink, appearing to be 'S. D.' or similar, written over a horizontal line.

National Accreditation & Management Institute, Inc.
4794 George Washington Memorial Hwy.
Hayes, VA 23072
Tel.: (804) 684-5124
nami@namiinc.com
namicertification.com