

# NOTICE OF PRODUCT CERTIFICATION



**CERTIFICATION NO:** NI014050-R1  
**DATE:** 05/08/2018  
**CERTIFICATION PROGRAM:** Fire  
**COMPANY:** Gator Build Sup  
**CODE:** 2152-1  
**REVISION DATE:** 05/03/2022  
**EXPIRATION DATE:** 05/31/2026

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit [www.namicertification.com](http://www.namicertification.com). NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>Gator Building Supply, Inc.</b> <b>9555 North US 1</b> <b>Sebastian, FL 32958</b>	<b>20 Minute Category C</b> <b>Proprietary Wood Door Frames</b>  Manufacture Specific Fire Door Frames for Double Swing Installation in 20 Minute Locations  <b>Single Door Maximum Size: 8'0" x 9'0"</b>  <b>Minimum Jamb Depth: 3.5"</b>

SPECIFICATION	PRODUCT RATING
<b>NFPA 252 (2012)</b> <b>UL 10b (1997)</b> <b>UL 10c (2009)</b> <b>CAN/ULC S104 (2010)</b> <b>UBC Standard 7-2 (1994)</b>	<b>20 Minute-With Hose Stream</b> <b>Positive Pressure</b> <b>Category C- Proprietary Frame</b>

TEST REPORT
<b>Intertek Test Report No(s): 101305789COQ-002, 101664134COQ-002</b> <b>Intertek Engineering Evaluation No(s): 102343380MID-001</b>

Administrator's Signature: \_\_\_\_\_ 

## NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway  
Hayes, VA 23072  
Tel: (804) 684-5124  
[nami@namiinc.com](mailto:nami@namiinc.com)