

# NOTICE OF PRODUCT CERTIFICATION



**CERTIFICATION NO:** NI015580.02  
**DATE:** 05/02/2022  
**CERTIFICATION PROGRAM:** Structural  
**COMPANY:** Vinylmax  
**CODE:** 072-1

To verify that the "Notice of Product Certification" is valid, please visit [www.NAMICertification.com](http://www.NAMICertification.com) to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. Please review and advise NAMI if any corrections are required to this document.

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>Vinylmax, LLC</b> <b>2921 McBride Court</b> <b>Hamilton, OH 45011</b>	<b>Series "SSA4WW"</b> <b>Vinyl Horizontal Slider Window</b>  Configuration: XOX Glazing: Insulating Glass (Annealed)  Frame: W-2438mm(96")      H-1422mm(56") Sash: W-813mm(32")      H-1362mm(53.63") DLO: W-743mm(29.25")      H-1292mm(50.88")

SPECIFICATION	PRODUCT RATING
<b>AAMA/WDMA/CSA 101/I.S.2/A440-17</b> <b>AAMA/WDMA/CSA 101/I.S.2/A440-11</b>	<b>Class R-PG30 2438 x 1422 (96 x 56)-HS</b> <b>Design Pressure: 1440 Pa (30 psf)</b> <b>Positive Design Pressure: 1680 Pa (35 psf)</b> <b>Negative Design Pressure: 1680 Pa (35 psf)</b> <b>Canadian Air Infiltration/Exfiltration Level: A2</b> <b>Water Penetration Resistance Test Pressure: 220 Pa (4.59 psf)</b>

Product Tested By: Molimo, LLC  
Report No: 11350.02-109-12  
Expiration Date: March 31, 2026

Administrator's Signature: \_\_\_\_\_  


## NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway

Hayes, VA 23072

Tel: (804) 684-5124

Email: [nami@namiinc.com](mailto:nami@namiinc.com)