

Notice of Product Certification

CERTIFICATION NO.: 1356-001
INITIAL CERTIFICATION DATE: June 28, 2022
REVISION DATE: N/A
REPORT NUMBER: SPL21004-26-C_CSSV-P
SPECIFICATION: CSA A440.2-19

COMPANY: Portes & Fenetres Ebi-Tech, Inc.
CODE: 1356-1
EXPIRATION DATE: October 25, 2026
PRODUCT SIMULATED BY: Veridis Solutions
AIR LEAKAGE REPORT NO.: AI-03741-F1 Rev.3

PRODUCT/SERIES NAME: Battant - PVC

OPERATOR TYPE: CSSV

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
1356-001-0001-01	GL 3mm_1 1/4_PCI-arg95-PCI-arg95-8071 iu	0.082(#5)	1.23	0.44	0.48	0.1	38
1356-001-0002-01	GL 3mm_1 1/4_PCI-arg95-PCI-arg95-8071 iu Grids<1"	0.082(#5)	1.23	0.40	0.44	0.1	36
1356-001-0003-01	GL 3mm_1 1/4_PCI-arg95-PCI-arg95-8071 iu Grids>1"	0.082(#5)	1.23	0.36	0.39	0.1	34
1356-001-0004-01	GL 3mm_7/8_PCI-arg95-SG400 su	0.113(#3)	1.52	0.47	0.52	0.1	34
1356-001-0005-01	GL 3mm_7/8_PCI-arg95-8071 su	0.082(#3)	1.48	0.48	0.53	0.1	35
1356-001-0006-01	GL 3mm_7/8_PLUX-arg90-PTLX su	0.082(#3)	1.50	0.48	0.52	0.1	35
1356-001-0007-01	GL 3mm_1 1/4_PLUX-arg90-PLUX-arg90-PTLX su	0.082(#5)	1.19	0.44	0.48	0.1	39
1356-001-0008-01	GL 3mm_1 1/4_PLUX-arg90-PLUX-arg90-PTLX su Grids<1"	0.082(#5)	1.20	0.40	0.43	0.1	37
1356-001-0009-01	GL 3mm_1 1/4_PLUX-arg90-PLUX-arg90-PTLX su Grids>1"	0.082(#5)	1.19	0.36	0.39	0.1	35
1356-001-0010-01	GL 3mm_1 1/4_PTLX-arg90-PLUX-arg90-PTLX su	0.082(#2, 5)	1.00	0.39	0.46	0.1	40
1356-001-0011-01	GL 3mm_1 1/4_PTLX-arg90-PLUX-arg90-PTLX su Grids<1"	0.082(#2, 5)	1.03	0.36	0.41	0.1	38

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

Administrator's Signature:



National Accreditation & Management Institute, Inc.
 4794 George Washington Memorial Hwy.
 Hayes, VA 23072
 Tel.: (804) 684-5124
 nami@namiinc.com
 namicertification.com

