

Notice of Product Certification

CERTIFICATION NO.: 2510-001
INITIAL CERTIFICATION DATE: June 9, 2022
REVISION DATE: N/A
REPORT NUMBER: T1278-17e
SPECIFICATION: CSA A440.2-19

COMPANY: Stage Windows, Inc.
CODE: 2510-1
EXPIRATION DATE: April 8, 2026
PRODUCT SIMULATED BY: QAI Laboratories
AIR LEAKAGE REPORT NO.: T1278-15 Rev. 1

PRODUCT/SERIES NAME: 514 PVC Sliding Glass Door OPERATOR TYPE: DDSG

Product Number	Manufacturer Product Code	U-Factor (Metric)	SHGC	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
2510-001-0001-01	VIS-SD-3.CL-3,8071(3)-14.1AR97EE-V2	1.53	0.49	0.56	0.5	34

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).



Administrator's Signature:

A handwritten signature in black ink, appearing to be 'S. D.', written over a horizontal line.

National Accreditation & Management Institute, Inc.
4794 George Washington Memorial Hwy.
Hayes, VA 23072
Tel.: (804) 684-5124
nami@namiinc.com
namicertification.com