

# Notice of Product Certification

**CERTIFICATION NO.:** 2801-012  
**INITIAL CERTIFICATION DATE:** June 2, 2022  
**REVISION DATE:** June 13, 2023  
**REPORT NUMBER:** SPL21004-17-C\_CSSV-A  
**SPECIFICATION:** CSA A440.2-19

**COMPANY:** PF Concordia W + D, Inc.  
**CODE:** 2801-1  
**EXPIRATION DATE:** October 25, 2025  
**PRODUCT SIMULATED BY:** Veridis Solutions  
**AIR LEAKAGE REPORT NO.:** AI-04647-A1

**PRODUCT/SERIES NAME:** Battant-Aluminium-9000

**OPERATOR TYPE:** CSSV

Product Number	Manufacturer Product Code	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
2801-012-0001-01	3mm_7/8_PLUX-arg90-PTLX(0.082/#3), su	1.73	0.49	0.52	0.2	30
2801-012-0002-01	3mm_1 1/4_PLUX-arg90-PLUX-arg90-PTLX(0.082/#5), su	1.39	0.44	0.48	0.2	35
2801-012-0003-01	3mm_1 1/4_PTLX(0.082/#2)-arg90-PLUX-arg90-PTLX(0.082/#5), su	1.20	0.39	0.46	0.2	36
2801-012-0004-01	3mm_7/8_SDCI-arg90-PTLX(0.082/#3), su	1.73	0.50	0.53	0.2	31
2801-012-0005-01	4mm_7/8_PLUX-arg90-PTLX(0.081/#3), su	1.72	0.48	0.51	0.2	30
2801-012-0006-01	4mm_1 1/4_PLUX-arg90-PLUX-arg90-PTLX(0.081/#5), su	1.46	0.42	0.47	0.2	32
2801-012-0007-01	4mm_1 1/4_PTLX(0.081/#2)-arg90-PLUX-arg90-PTLX(0.081/#5), su	1.27	0.38	0.45	0.2	34
2801-012-0008-01	4mm_7/8_SDCI-arg90-PTLX(0.081/#3), su	1.72	0.50	0.52	0.2	31
2801-012-0009-01	3mm_7/8_GCI-arg95-8071(0.082/#3), sp	1.71	0.47	0.53	0.2	29
2801-012-0010-01	4mm_7/8_GCI-arg95-8071(0.082/#3), sp	1.70	0.46	0.52	0.2	29
2801-012-0011-01	6mm_7/8_366-arg95-PCI   su	1.64	0.18	0.41	0.2	14

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit [www.namicertification.com](http://www.namicertification.com). NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).



Administrator's Signature:

A handwritten signature in black ink, appearing to be 'S. D.', written over a horizontal line.

National Accreditation & Management Institute, Inc.  
4794 George Washington Memorial Hwy.  
Hayes, VA 23072  
Tel.: (804) 684-5124  
nami@namiinc.com  
namicertification.com