

# NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI011783.01-R1  
DATE: 01/22/2014  
CERTIFICATION PROGRAM: Structural  
COMPANY: MIM Solutions  
CODE: 2034-1  
REVISION DATE: 06/07/2017

To verify that the "Notice of Product Certification" is valid, please visit [www.NAMICertification.com](http://www.NAMICertification.com) to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. Please review and advise NAMI if any corrections are required to this document.

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>MIM Risk Solutions, Inc.</b> <b>11220 Metro Parkway, Suite 22</b> <b>Ft. Myers, FL 33966</b>	<b>"Direct Wall/Interior Ceiling Mount"</b>  <b>55 mm Aluminum</b>  <b>Roll-Up Shutter System</b>  Configuration: X  Frame: W-1187mm(46.75") H-2381mm(93.75") Slat: W-1066mm(42.00")

SPECIFICATION	PRODUCT RATING
<b>TAS 201/203-94</b> <b>TAS 202-94 (Structural Only)</b>	<b>Design Pressure: 4788 Pa (100 psf)</b> <b>Negative Design Pressure: 4788 Pa (100 psf)</b> <b>Large Missile Impact Rated</b>

Product Tested By: National Certified Testing Laboratories  
Report No: NCTL-210-3917-01(Specimens 5 & 6)  
Expiration Date: September 30, 2027

Administrator's Signature: \_\_\_\_\_

**NATIONAL ACCREDITATION AND  
MANAGEMENT INSTITUTE, INC.**  
4794 George Washington Memorial Highway  
Hayes, VA 23072  
Tel: (804) 684-5124  
Fax: (804) 684-5122