

# NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI015590.03  
DATE: 05/24/2022  
CERTIFICATION PROGRAM: Structural  
COMPANY: Advent  
CODE: 2841-1

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit [www.namicertification.com](http://www.namicertification.com). NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>Advent Windows &amp; Doors, LLC</b> <b>2731 East Highway 199</b> <b>Springtown, Texas 76082</b>	<b>Series "Ascend Single Hung"</b> <b>Vinyl Single Hung Window</b>  Configuration: O/X Glazing: Insulating Glass (Annealed)  Frame: W-1016mm(40")      H-1600mm(63") Sash: W-962mm(37.88")      H-775mm(30.50") DLO: W-902mm(35.50")      H-714mm(28.13")

SPECIFICATION	PRODUCT RATING
<b>AAMA/WDMA/CSA 101/I.S.2/A440-11</b> <b>AAMA/WDMA/CSA 101/I.S.2/A440-08</b>	<b>Class R-PG50 1016 x 1600 (40 x 63)-H</b> <b>Design Pressure: ±2400 Pa (±50 psf)</b> Water Penetration Resistance Test Pressure: 360 Pa (7.52 psf) Canadian Air Infiltration/Exfiltration Level: A2

Product Tested By: Molimo, PLC  
Report No: 3023.03-109-12  
Expiration Date: May 31, 2026

Administrator's Signature:  \_\_\_\_\_

**NATIONAL ACCREDITATION AND  
MANAGEMENT INSTITUTE, INC.**  
4794 George Washington Memorial Highway  
Hayes, VA 23072  
Tel: (804) 684-5124  
Email: [nami@namiinc.com](mailto:nami@namiinc.com)