

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI015601-R2
DATE: 06/14/2022
CERTIFICATION PROGRAM: Structural
COMPANY: Crystal Window
CODE: 1774-1
REVISION DATE: 09/12/2022

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Crystal Window and Door Systems, Ltd. 31-10 Whitestone Expressway Flushing, NY 11354	Series "8810" Aluminum Fixed Window Configuration: O Glazing: Insulating Glass (Annealed) Frame: W-1524mm(60") H-2515mm(99") DLO: W-1368mm(53.88") H-2353mm(92.63")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-17	Class AW-PG75 1524 x 2515 (60 x 99)-FW Design Pressure: ±3600 Pa (±75 psf) Water Penetration Resistance Test Pressure: 580 Pa (12.12 psf)

Product Tested By: Molimo, LLC
Report No: 11211.05-106-12
Expiration Date: **February 28, 2026**

Administrator's Signature: _____


NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
nami@namiinc.com