

Notice of Product Certification

CERTIFICATION NO.: 1356-004
INITIAL CERTIFICATION DATE: June 30, 2022
REVISION DATE: N/A
REPORT NUMBER: SPL21004-26-C_PRAW-H
SPECIFICATION: CSA A440.2-19

COMPANY: Portes & Fenetres Ebi-Tech, Inc.
CODE: 1356-1
EXPIRATION DATE: October 25, 2026
PRODUCT SIMULATED BY: Veridis Solutions
AIR LEAKAGE REPORT NO.: AI-03741-J1 Rev.1

PRODUCT/SERIES NAME: Auvent - Hybride - 9000 **OPERATOR TYPE:** PRAW

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
1356-004-0001-01	GL 3mm_1 1/4_PCI-arg95-PCI-arg95-8071 iu	0.082(#5)	1.28	0.43	0.48	0.5	36
1356-004-0002-01	GL 3mm_1 1/4_PCI-arg95-PCI-arg95-8071 iu Grids<1"	0.082(#5)	1.28	0.39	0.44	0.5	34
1356-004-0003-01	GL 3mm_1 1/4_PCI-arg95-PCI-arg95-8071 iu Grids>1"	0.082(#5)	1.27	0.36	0.39	0.5	32
1356-004-0004-01	GL 3mm_7/8_PCI-arg95-SG400 su	0.113(#3)	1.59	0.47	0.52	0.5	31
1356-004-0005-01	GL 3mm_7/8_PCI-arg95-8071 su	0.082(#3)	1.55	0.48	0.53	0.5	33
1356-004-0006-01	GL 3mm_7/8_PLUX-arg90-PTLX su	0.082(#3)	1.57	0.48	0.52	0.5	32
1356-004-0007-01	GL 3mm_1 1/4_PLUX-arg90-PLUX-arg90-PTLX su	0.082(#5)	1.24	0.44	0.48	0.5	37
1356-004-0008-01	GL 3mm_1 1/4_PLUX-arg90-PLUX-arg90-PTLX su Grids<1"	0.082(#5)	1.24	0.40	0.43	0.5	35
1356-004-0009-01	GL 3mm_1 1/4_PLUX-arg90-PLUX-arg90-PTLX su Grids>1"	0.082(#5)	1.24	0.36	0.39	0.5	33
1356-004-0010-01	GL 3mm_1 1/4_PTLX-arg90-PLUX-arg90-PTLX su	0.082(#2, 5)	1.06	0.39	0.46	0.5	38
1356-004-0011-01	GL 3mm_1 1/4_PTLX-arg90-PLUX-arg90-PTLX su Grids<1"	0.082(#2, 5)	1.07	0.36	0.41	0.5	36

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

Administrator's Signature:



National Accreditation & Management Institute, Inc.
 4794 George Washington Memorial Hwy.
 Hayes, VA 23072
 Tel.: (804) 684-5124
 nami@namiinc.com
 namicertification.com

