

# Notice of Product Certification

CERTIFICATION NO.: 2847-007  
INITIAL CERTIFICATION DATE: July 26, 2022  
REVISION DATE: N/A  
REPORT NUMBER: SPL21002-16-C\_HSXX  
SPECIFICATION: CSA A440.2-19

COMPANY: Enertec Window Systems  
CODE: 2847-1  
EXPIRATION DATE: May 31, 2026  
PRODUCT SIMULATED BY: Veridis Solutions  
AIR LEAKAGE REPORT NO.: AI-04211-G1 Rev.3

PRODUCT/SERIES NAME: Double Slider PVC 9440I

OPERATOR TYPE: HSXX

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
2847-007-0001-01	3mm_7/8_180-arg97-CCI   cu	0.068(#2)	1.68	0.47	0.58	0.5	29
2847-007-0002-01	3mm_7/8_180-arg97-CCI   cu   Grids<1"	0.068(#2)	1.68	0.42	0.51	0.5	26

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit [www.namicertification.com](http://www.namicertification.com). NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).



Administrator's Signature:

A handwritten signature in black ink, appearing to be "Shu".

National Accreditation & Management Institute, Inc.  
4794 George Washington Memorial Hwy.  
Hayes, VA 23072  
Tel.: (804) 684-5124  
nami@namiinc.com  
namicertification.com