

Notice of Product Certification

CERTIFICATION NO.: 2853-009
INITIAL CERTIFICATION DATE: July 28, 2022
REVISION DATE: N/A
REPORT NUMBER: SPL21005-8-C_LFIXD-P
SPECIFICATION: CSA A440.2-19

COMPANY: Fenêtres Uniques Windows Inc.
CODE: 2853-1
EXPIRATION DATE: March 18, 2027
PRODUCT SIMULATED BY: Veridis Solutions
AIR LEAKAGE REPORT NO.: AI-03741-B1 Rev.3

PRODUCT/SERIES NAME: Grand Fixe PVC

OPERATOR TYPE: FIXD

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
2853-009-0001-01	3mm_7/8_GCl-arg90-8071 ss	0.083(#3)	1.61	0.55	0.62	0.0	37
2853-009-0002-01	3mm_7/8_GCl-arg90-8071 ss Grid <1"	0.083(#3)	1.61	0.50	0.55	0.0	34
2853-009-0003-01	3mm_1 1/4_GCl-arg90-GCl-arg90-8071 ss	0.082(#5)	1.25	0.50	0.57	0.0	42
2853-009-0004-01	3mm_1 1/4_GCl-arg90-GCl-arg90-8071 ss Grid <1"	0.082(#5)	1.26	0.45	0.51	0.0	38

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).



Administrator's Signature:

A handwritten signature in black ink, appearing to be 'S. D.', written over a horizontal line.

National Accreditation & Management Institute, Inc.
4794 George Washington Memorial Hwy.
Hayes, VA 23072
Tel.: (804) 684-5124
nami@namiinc.com
namicertification.com