

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI015604.11-R1
DATE: 07/21/2022
CERTIFICATION PROGRAM: Structural
COMPANY: Ply Gem
CODE: 1408-1
REVISION DATE: 12/12/2022

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Ply Gem Window Group Simonton Windows 5020 Weston Parkway, Suite 300 Cary, NC 27513	Series "Perspective & MaxView" Vinyl Sliding Glass Door (2-Track) Configuration: XX-XX Glazing: Insulating Glass (Tempered) Frame: W-8788mm(346") H-2438mm(96") Panel: W-1524mm(60") H-2365mm(93.13") DLO: W-1295mm(51") H-2137mm(84.13")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-17	Class LC-PG35 8788 x 2438 (346 x 96)-SD Design Pressure: ±1680 Pa (±35 psf) Water Penetration Resistance Test Pressure: 260 Pa (5.45 psf)

Product Tested By: Molimo Architectural Product Testing
Report No: 3137.06-106-11/W-2036
Expiration Date: **October 31, 2025**

Administrator's Signature: _____

**NATIONAL ACCREDITATION AND
MANAGEMENT INSTITUTE, INC.**
4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
nami@namiinc.com