

# NOTICE OF PRODUCT CERTIFICATION



**CERTIFICATION NO:** NI015616.02  
**DATE:** 07/11/2022  
**CERTIFICATION PROGRAM:** Structural  
**COMPANY:** Croft  
**CODE:** 1887-1

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit [www.namicertification.com](http://www.namicertification.com). NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>Croft, LLC</b> <b>1800 North Clark Avenue</b> <b>Magnolia, MS 39652</b>	<b>Series "20W"</b> <b>Twin Vinyl Single Hung Windows</b>  Configuration: O/XO/X Glazing: Insulating Glass (Annealed)  Frame: W-1829mm(72") H-1829mm(72") Sash: W-835mm(32.88") H-883mm(34.75") DLO: W-762mm(30") H-813mm(32")

SPECIFICATION	PRODUCT RATING
<b>AAMA/WDMA/CSA 101/I.S.2/A440-08</b>	<b>Class R-PG35 1829 x 1829* (72 x 72*)-H</b> <b>Design Pressure: ±1680 Pa (35 psf)</b> Water Penetration Resistance Test Pressure: 260 Pa (5.43 psf)

Product Tested By: Architectural Testing, Inc.  
Report No: B6276.01-801-47 (Specimen 3)  
Expiration Date: **July 31, 2026**

Administrator's Signature: \_\_\_\_\_

## NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway  
Hayes, VA 23072  
Tel: (804) 684-5124  
[nami@namiinc.com](mailto:nami@namiinc.com)