

# NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI015625  
DATE: 07/12/2022  
CERTIFICATION PROGRAM: Structural  
COMPANY: Croft  
CODE: 1887-1

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit [www.namicertification.com](http://www.namicertification.com). NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>Croft, LLC</b> <b>1800 North Clark Avenue</b> <b>Magnolia, MS 39652</b>	<b>Series "4400/4440"</b> <b>Twin Aluminum Single Hung Windows</b> <b>(w/Continuous Head &amp; Sill)</b>  Configuration: O/XO/X Glazing: Insulating Glass (Annealed)  Frame: W-1829mm(72") H-1829mm(72") Sash: W-852mm(33.56") H-751mm(29.56") DLO: W-797mm(31.38") H-984mm(38.75")

SPECIFICATION	PRODUCT RATING
<b>AAMA/WDMA/CSA 101/I.S.2/A440-08</b>	<b>Class R-PG50 1829 x 1829* (72 x 72*)-H</b> <b>Design Pressure: ±2400 Pa (50 psf)</b> Water Penetration Resistance Test Pressure: 360 Pa (7.52 psf)

Product Tested By: Architectural Testing, Inc.  
Report No: C5722.01-801-47/B7505.01-801-47  
Expiration Date: **July 31, 2026**

Administrator's Signature: \_\_\_\_\_

**NATIONAL ACCREDITATION AND  
MANAGEMENT INSTITUTE, INC.**  
4794 George Washington Memorial Highway  
Hayes, VA 23072  
Tel: (804) 684-5124  
[nami@namiinc.com](mailto:nami@namiinc.com)