

# NOTICE OF PRODUCT CERTIFICATION



**CERTIFICATION NO:** NI015635  
**DATE:** 07/14/2022  
**CERTIFICATION PROGRAM:** Structural  
**COMPANY:** Solar  
**CODE:** 872-1

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit [www.namicertification.com](http://www.namicertification.com). NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>Solar Innovations, Inc.</b> <b>31 Roberts Road</b> <b>Pine Grove, PA 17963</b>	<b>Series "G2"</b> <b>Aluminum Sliding Glass Door</b> <b>w/ Pocket Panel</b>  Configuration: OXXO Glazing: IG-Exterior-3/16" Tempered Glass/Interior-Laminate 3/16" Annealed Glass/0.090" SentryGlas Plus Interlayer/3/16" Annealed Glass  Frame: W-6382mm(251.25") H-2481mm(97.69") Panels: W-1526mm(60.06") H-2442mm(96.13") DLO: W-1422mm(56") H-2267mm(89.25")

SPECIFICATION	PRODUCT RATING
<b>AAMA/WDMA/CSA 101/I.S.2/A440-17</b>	<b>Class R-PG30 6382 x 2481 (251 x 98)-SD</b> <b>Design Pressure: ±1440 Pa (±30 psf)</b> <b>Water Penetration Resistance Test Pressure: 220 Pa(4.59 psf)</b>

Product Tested By: National Certified Testing Laboratories  
Report No: NCTL-110-25264-1  
Expiration Date: **June 30, 2026**

Administrator's Signature: \_\_\_\_\_  


**NATIONAL ACCREDITATION AND  
MANAGEMENT INSTITUTE, INC.**  
4794 George Washington Memorial Highway  
Hayes, VA 23072  
Tel: (804) 684-5124  
Email: [nami@namiinc.com](mailto:nami@namiinc.com)