NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO:
DATE
CERTIFICATION PROGRAM
COMPANY
CODE

NI015636.01	
07/12/2022	
Structural	
Croft	
1887-1	

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit <u>www.namicertification.com</u>. NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION		
Croft, LLC	Series "22W"		
1800 North Clark Avenue	Vinyl Horizontal Sliding Window		
Magnolia, MS 39652			
	Configuration: XO Glazing: Insulating Glass (Annealed)		
	Frame:	W-1829mm(72")	H-1524mm(60")
	Sash:	W-889mm(35")	H-1457mm(57.38")
	DLO:	W-826mm(32.5")	H-1384mm(54.5")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-08	Class R-PG25 1829 x 1524 (72 x 60)-HS Design Pressure: ±1200 Pa (25 psf) Water Penetration Resistance Test Pressure: 260 Pa (5.43 psf)

Product Tested By: Report No: Expiration Date:

Architectural Testing, Inc. B6278.01-801-47 July 31, 2026

Administrator's Signature:

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway Hayes, VA 23072 Tel: (804) 684-5124 nami@namiinc.com