NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI015638.02

DATE: 07/12/2022

CERTIFICATION PROGRAM: <u>Structural</u>

COMPANY: Croft

CODE: <u>1887-1</u>

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION	
Croft, LLC	Series "51W"	
1800 North Clark Avenue	Vinyl Horizontal Sliding Window	
Magnolia, MS 39652		
	Configuration: XOX Glazing: Insulating Glass (Annealed)	
	Frame: W-2743mm(108") H-1219mm(48")	
	Sash: W-692mm(27.25") H-1153mm(45.38")	
	DLO: W-1260mm(49.63") H-1076mm(42.38")	

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-08	Class R-PG30 2743 x 1219 (108 x 48)-HS Design Pressure: ±1440 Pa (30 psf) Water Penetration Resistance Test Pressure: 220 Pa (4.59 psf)

Product Tested By: Architectural Testing, Inc.

Report No: B6282.01-801-47 (Specimen 3)

Expiration Date: July 31, 2026

Administrator's Signature:

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway Hayes, VA 23072 Tel: (804) 684-5124 nami@namiinc.com