

# Notice of Product Certification

CERTIFICATION NO.: 2858-004  
INITIAL CERTIFICATION DATE: August 18, 2022  
REVISION DATE: N/A  
REPORT NUMBER: QUA21001-11\_III\_VSSH  
SPECIFICATION: CSA A440.2-19

COMPANY: Aluminium Fenebel 1964, Inc.  
CODE: 2858-1  
EXPIRATION DATE: April 16, 2026  
PRODUCT SIMULATED BY: Veridis Solutions  
AIR LEAKAGE REPORT NO.: AI-03788-K2

PRODUCT/SERIES NAME: Guillotine Simple NEO III      OPERATOR TYPE: VSSH

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
2858-004-0001-01	3mm_7/8_GCl-arg95-8071   im	0.082(#3)	1.60	0.52	0.58	0.4	34
2858-004-0002-01	3mm_7_8_Clr-arg95-PTLx   im	0.082(#3)	1.60	0.53	0.57	0.4	35

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit [www.namicertification.com](http://www.namicertification.com). NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).



Administrator's Signature:

A handwritten signature in black ink, appearing to be 'S. H. O.', written over a horizontal line.

National Accreditation & Management Institute, Inc.  
4794 George Washington Memorial Hwy.  
Hayes, VA 23072  
Tel.: (804) 684-5124  
nami@namiinc.com  
namicertification.com