

# NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI015662.06  
DATE: 08/02/2022  
CERTIFICATION PROGRAM: Structural  
COMPANY: Therma-Tru  
CODE: 052-1

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit [www.namicertification.com](http://www.namicertification.com). NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>Therma-Tru Corporation</b> <b>118 Industrial Drive</b> <b>Edgerton, OH 43517</b>	<b>Series "3'0 Fiberglass Sidelites"</b> <b>Inswing Fiberglass Doors</b> <b>(w/3'0 Fiberglass Sidelites)</b>  Configuration: OXO Glazing: Insulating Glass (Tempered)  Frame: W-2940mm(115.75") H-2489mm(98") Panel: W-914mm(36") H-2419mm(95.25") DLO: W-537mm(21.13") H-2010mm(79.13")

SPECIFICATION	PRODUCT RATING
ASTM E283-04 ASTM E330-14 ASTM E331-00	<b>Design Pressure: 1920 Pa (40 psf)</b> <b>Positive Design Pressure: 1920 Pa (40 psf)</b> <b>Negative Design Pressure: 2160 Pa (45 psf)</b> Water Penetration Resistance Test Pressure: 0 Pa (0.00 psf)

Product Tested By: Testing Evaluation Laboratories, Inc.  
Report No: TEL 01463243 - Specimen 7R  
Expiration Date: **December 31, 2024**

Administrator's Signature: \_\_\_\_\_  


**NATIONAL ACCREDITATION AND  
MANAGEMENT INSTITUTE, INC.**  
4794 George Washington Memorial Highway  
Hayes, VA 23072  
Tel: (804) 684-5124  
Email: [nami@namiinc.com](mailto:nami@namiinc.com)