

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI015674.03-R1
DATE: 09/06/2022
CERTIFICATION PROGRAM: Structural
COMPANY: Prime Window
CODE: 2288-1
REVISION DATE: 11/18/2025

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Prime Window Systems 3400 Tacoma Street Union Gap, WA 98903	Series "5000" Vinyl Sliding Door (4 Panels) Configuration: OXXO Glazing: Insulating Glass (Tempered) Frame: W-3658mm(144") H-2426mm(95.50") Panel: W-908mm(35.75") H-2354mm(92.69") DLO: W-787mm(31") H-2235mm(88")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-17	Class R-PG15 3658 x 2426 (144 x 96)-SD Design Pressure: ±720 Pa (±15 psf) Water Penetration Resistance Test Pressure: 150 Pa (3.13 psf) Canadian Air Infiltration/Exfiltration Level: A3

Product Tested By: Intertek, PLC
Report No: N4825.01-901-44
Expiration Date: May 31, 2030

Administrator's Signature: _____

A handwritten signature in black ink, appearing to be "Shirley", written over a horizontal line.

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway

Hayes, VA 23072

Tel: (804) 684-5124

Email: nami@namiinc.com