

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI015675
DATE: 09/06/2022
CERTIFICATION PROGRAM: Structural
COMPANY: United
CODE: 2779-1

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

| COMPANY NAME AND ADDRESS | PRODUCT DESCRIPTION |
|--|--|
| United Window & Door Manufacturing 24-36 Fadem Road Springfield, New Jersey 07081 | Series "4500/4560" Vinyl Sidelite Configuration: O Glazing: Insulated Glass (Tempered) Frame: W-1016mm(40") H-2032mm(80") DLO: W-902mm(35.50") H-1918mm(75.50") |

| SPECIFICATION | PRODUCT RATING |
|--|--|
| AAMA/WDMA/CSA 101/I.S.2/A440-17 | Class R-PG50 1016 x 2032 (40 x 80)-SLT Design Pressure: ±2400 Pa (±50 psf) Water Penetration Resistance Test Pressure: 360 Pa (7.52 psf) |

Product Tested By: Molimo, LLC
Report No: 11552.08-106-12
Expiration Date: **June 30, 2026**

Administrator's Signature: _____


NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway

Hayes, VA 23072

Tel: (804) 684-5124

Email: nami@namiinc.com