

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI015681
DATE: 09/26/2022
CERTIFICATION PROGRAM: Structural
COMPANY: Loewen
CODE: 1862-1

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Loewen 77 Highway 52 West Steinbach, Manitoba R5G 1B2	Series "Storm Force" Aluminum Clad Wood Awning Window Configuration: X Glazing: IG - 5/32" Annealed Glass/5/32" Annealed Glass/ 0.090" PVB Interlayer/5/32" Annealed Glass Frame: W-1200mm(47.25") H-1200mm(47.25") Vent: W-1168mm(46") H-1168mm(46") DLO: W-1041mm(41") H-1041mm(41")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-11 AAMA/WDMA/CSA 101/I.S.2/A440-08 ASTM E1886-05 ASTM E1996-12	Class CW-PG70 1200 x 1200 (47 x 47)-AP Design Pressure: ±3360 Pa(±70 psf) Water Penetration Resistance Test Pressure: 720 Pa (15.04 psf) Canadian Air Infiltration/Exfiltration Level: A3 Wind Zone 3 - Missile Level D

Product Tested By: Intertek, PLC
Report No: D8180.01-201-44/D8180.02-201-44
Expiration Date: **September 30, 2026**

Administrator's Signature: _____


NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
nami@namiinc.com