

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI012726-R1
DATE: 07/15/2015
CERTIFICATION PROGRAM: Structural
COMPANY: All Seasons
CODE: 353-2
REVISION DATE: 10/12/2022

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
All Seasons Commercial Division, Inc. 400 Ambassador Row Longview, TX 75604	Series "E3250" Aluminum Out-Swing Casement Configuration: X Glazing: IG Ext-Laminate-1/8" Annealed Glass/0.090" SGP Interlayer/1/8" Annealed Glass/Int-1/4" Annealed Glass Frame: W-914mm(36") H-1524mm(60") Vent: W-854mm(33.63") H-1467mm(57.75")

SPECIFICATION	PRODUCT RATING
ASTM E1886-05/E1996-05b	Design Pressure: ±3352 Pa (70 psf) Wind Zone 4-Missile Level D

Product Tested By: Construction Consulting Laboratory, International
Report No: CCLI 15-033
Expiration Date: May 31, 2025

A handwritten signature in black ink, appearing to be 'M.D.', written over a horizontal line.

Administrator's Signature: _____

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
nami@namiinc.com